



FOAMBOARD

ENCORE[®]
PRODUCTS



With the creation of Design Boards, EnCore® Products continues to expand designer, picture framer, printer and fabricator capabilities with Foam Board collections that provide variety, versatility, quality and cost efficiency.

Engineered for flawless performance, EnCore foam boards are indispensable for imparting a professional look to finished products. By stressing variety, versatility and value, we give you more foam board choices: clay-coated and a unique collection of textured surfaces, self-adhesive boards, rigid, firm and crushable polystyrene cores and heat-activated boards. Handling is effortless. Cutting is clean and precise, and some can also be scored, folded, or die cut to create items with a dimensional effect. All varieties are CFC free – and our products contain an industry-leading percentage of recycled content in keeping with our Commitment to Sustainability. Trust EnCore to deliver responsive customer service and the technical support that makes the big jobs easy to handle.

All EnCore Foam Boards are available in special cut sizes. Volume minimums do apply. Please contact customer service for inquiries.

ENCORE®
PRODUCTS

EnCore[®] is Taking Care of Business with these Foam Board Essentials:

CONTENTS





Design Boards	4-5
Rigid MightyCore [®] Foam Board	6
MightyCore [®] Pressure Sensitive Foam Board	7
PilloCore [®] Foam Board	8
Custom Cut Foam Board	9
1/2" Thick Foam Board	10
Black on Black [®] Foam Board	11
White Foam Board	12
Extreme White Foam Board [™]	13
SingleStep [®] Heat-Activated Foam Board	14
Pressure Sensitive Adhesive Foam Board	15
Masterpiece Collection Foam Board	16
Colored Foam Board	17
Our Commitment to Sustainability	18-19
Contact Information.	20






Design Boards

Add Instant Dimension to Your Products with the Fine Textures of Design Boards. Enhance the Artistic Quality of Your Output.

With artistic demands and creative needs in mind, we have developed a collection of foam boards featuring unique surfaces. Prints, digital artwork, logos, patterns, art reproductions and photography are just a few examples of what may be directly printed to EnCore Design Boards.



Use Design Boards to create the look of classic stretched canvas.



Design Boards

SPECS — CANVAS
Surface: Real Fredrix® Canvas on one side
Core: White rigid foam
Thickness: 1/4"
Standard sheet size: 24" x 36" and 48" x 96"

SPECS — BRUSHED METALS
Surface: Brushed metal paper surface on one side
Core: White foam
Thickness: 3/16"
Varieties: Brushed Aluminum or Brushed Gold
Standard sheet size: 40" x 60" and 48" x 96"

SPECS — EMBOSSED CANVAS
Surface: Embossed paper canvas on both sides
Core: White foam
Thickness: 3/16"
Standard sheet size: 48" x 96" and 60" x 120"

SPECS — DRY ERASE
Surface: Dry Erase surface on one side
Core: White foam
Thickness: 3/16"
Standard sheet size: 20" x 30" to 40" x 60"

SPECS — CORK
Surface: Cork surface on one side
Core: White foam
Thickness: 3/8"
Standard sheet size range from: 20" x 30" to 48" x 96"

SPECS — CHALKBOARD
Surface: Chalk surface on one side
Core: White foam
Thickness: 3/16"
Varieties: Black, Green or Blue chalk surface
Standard sheet size range from: 20" x 30" to 40" x 60"

SPECS — EXTREME WHITE FOR PHOTOGRAPHY
Surface: Bright White, clay-coated
Core: White foam
Thickness: 3/16"
Standard sheet size: 48" x 96"

High volume cut-to-size sheets available upon request
Call: 1-800-873-4868

APPLICATIONS	Digital Imaging	Exhibits	Framing	Laminating	Litho mounting	Painting	Air Brushing	POP Displays	Screen printing	Signs	Vinyl lettering	Models
Canvas 1/4"	▲	▲	▲			▲	▲		▲			
Embossed Canvas 3/16"	▲		▲		▲	▲	▲		▲	▲		▲
Cork	▲	▲	▲		▲	▲	▲	▲	▲	▲		▲
Chalkboard	▲	▲	▲			▲	▲	▲	▲	▲	▲	▲
Extreme White	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲
Dry Erase	▲	▲	▲			▲	▲	▲	▲	▲	▲	▲
Brushed Aluminum	▲	▲	▲		▲	▲	▲	▲	▲	▲	▲	▲

FABRICATIONS	Hand cutting	Die cutting	Embossing	Scoring	Machine cutting
Canvas 1/4"	▲				▲
Embossed Canvas 3/16"	▲	▲	▲	▲	▲
Cork	▲			▲	▲
Chalkboard	▲	▲		▲	▲
Extreme White	▲	▲	▲	▲	▲
Dry Erase	▲	▲		▲	▲
Brushed Aluminum	▲	▲		▲	▲



Rigid MightyCore® Foam Board

Rigid MightyCore® delivers structural strength. This foam board is heavy-duty.

MightyCore® is the strongest product now available for indoor use. Its extra-rigid core of dense polystyrene is free of toxic chemicals so it's safer to use for the big

jobs. No surface preparation is required for laminating, mounting and screen or digital printing, so projects are handled quickly, efficiently and most economically. Solid White is your must-have basic – its uses are endless. White-on-Black contrasts black edge and white surfaces for dramatic effect – Solid Black adds bold contrast to mounting projects.

SPECIFICATIONS	
Surface:	White or Black smooth paper
Core:	White or Black rigid foam
Thickness:	3/16", 1/4" and 1/2"
Varieties:	White, Black on Black®, White-Black-White, and White-Black-Black
Standard sheet sizes	range from 24" x 36" to 48" x 96"
High volume cut-to-size sheets	quickly available upon request
Call: 1-800-873-4868	



APPLICATIONS	APPLICABLE											
	Digital Imaging Exhibits	Framing	Laminating	Litho mounting	Painting	Air Brushing	POP Displays	Screen printing	Signs	Vinyl lettering	Models	
White MightyCore 3/16"	▲	▲			▲	▲	▲	▲	▲	▲	▲	▲
White MightyCore 1/4"	▲	▲			▲	▲	▲	▲	▲	▲	▲	▲
White MightyCore 1/2"	▲	▲			▲	▲	▲	▲	▲	▲	▲	▲
White-Black-White 1/4"	▲	▲			▲	▲	▲	▲	▲	▲	▲	▲
Black MightyCore 3/16"	▲	▲			▲	▲	▲	▲	▲	▲	▲	▲
Black MightyCore 1/4"	▲	▲			▲	▲	▲	▲	▲	▲	▲	▲
Black MightyCore 1/2"	▲	▲			▲	▲	▲	▲	▲	▲	▲	▲
White-Black-Black 1/2"	▲	▲			▲	▲	▲	▲	▲	▲	▲	▲

FABRICATIONS	APPLICABLE				
	Hand cutting	Die cutting	Embossing	Scoring	Machine cutting
White MightyCore 3/16"	▲	▲	▲	▲	▲
White MightyCore 1/4"	▲	▲	▲	▲	▲
White MightyCore 1/2"	▲			▲	▲
White-Black-White 1/4"	▲	▲	▲	▲	▲
Black MightyCore 3/16"	▲	▲	▲	▲	▲
Black MightyCore 1/4"	▲	▲		▲	▲
Black MightyCore 1/2"	▲			▲	▲
White-Black-Black 1/2"	▲			▲	▲




MightyCore® Pressure Sensitive Foam Board

High-tack self-adhesive adds value to MightyCore®

EnCore® makes MightyCore® even more practical for permanent mounting with the addition of a pressure sensitive coating.

Our heavy-duty foam board's structural strength meets permanent adhesive's super stick to safely handle heavy and hard-to-hold items. To improve production time, the protective liner peels away easily to quickly ready the board for mounting. Made for use in a roller laminator or for cold mounting applications. Solid White and Black on Black.



SPECIFICATIONS	
Surface:	White or Black smooth paper
Core:	White or Black rigid foam
Thickness:	3/16"
Standard sheet sizes	are 24" x 36" and 32" x 40"
High volume cut-to-size sheets	quickly available upon request
Call: 1-800-873-4868	

MightyCore Pressure Sensitive	APPLICATIONS											
	Digital Imaging	Exhibits	Framing	Laminating	Litho mounting	Painting	Air Brushing	POP Displays	Screen printing	Signs	Vinyl lettering	Models
				▲								

MightyCore Pressure Sensitive	FABRICATIONS				
	Hand cutting	Die cutting	Embossing	Scoring	Machine cutting
	▲				▲



PilloCore® Foam Board

Add dimension and special effects to any image with PilloCore® Foam Board. Emboss it. Deboss it. Die-cut it for a puffed profile.

PilloCore® Foam Board can add design interest to every project. Its foam core is specially formulated to be crushable so that, when it is die-cut, all edges stay tightly compressed to create pillowing. The board is lightweight, sturdy, and warp-resistant. Its flawless surface accepts a variety of media and allows you to get creative by embossing or debossing for attention-getting dimensional detail.



SPECIFICATIONS
Surface: White or Black facing paper
Core: White or Black compressible foam
Thickness: 3/16"
White PilloCore Standard sheet size : 48" x 96"
Black PilloCore Sheets: High volume cut-to-size only
High volume cut-to-size sheets quickly available upon request in black or white
Call: 1-800-873-4868

APPLICATIONS	Digital Imaging	Exhibits	Framing	Laminating	Litho mounting	Painting	Air Brushing	POP Displays	Screen printing	Signs	Vinyl lettering	Models
PilloCore Foam Board	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲

FABRICATIONS	Hand cutting	Die cutting	Embossing	Scoring	Machine cutting
PilloCore Foam Board	▲	▲	▲	▲	▲



EnCore® offers cut-to-size sheets

Don't see the board size needed for your application? No worries, EnCore® has the capability to manufacture your required size.

Choose from these EnCore Product Lines*:

- White
- Extreme White Foam Board™
- Black on Black®
- White-Black-Black
- Premium Tac, Repositionable Pressure Sensitive Adhesive
- Permanent Pressure Sensitive Adhesive
- SingleStep® Heat-Activated Adhesive
- Masterpiece Collection®- Antique White Acid-Free, Bright White Acid-Free, 100% Cotton Rag
- PilloCore®
- Design Boards

** A 10,000 square foot minimum per size is required.*

For more information, please contact EnCore Customer Service at 1-800-873-4868

How Some Customers Use Cut-to-size Volume Orders


- Custom "auto-convert" prints using Design Boards for Home Decor Retailers
- Durable Brand Color Panels
- Point-of-Purchase Systems



1/2" Thick Foam Board

EnCore® manufactures a consistent 1/2" thickness

When a more sturdy board is needed, EnCore has the answer. Our 1/2" foam board is available in White, Extreme White, Black on Black®, and White-Black-Black. Its resilient polystyrene "memory" core bounces back once cut giving a clean, uniform edge, while providing more rigidity than 3/16" thickness. The white surfaces are clay-coated, and the Black on Black® surfaces are acid-free.



SPECIFICATIONS
Surface: White or Black Smooth Paper
Core: White or Black foam
Thickness: 1/2"
Varieties: White, Black on Black®, White-Black-Black and Extreme White
Standard sheet sizes range from 20" x 30" to 60" x 120"
High volume cut-to-size sheets quickly available upon request
Call: 1-800-873-4868

APPLICATIONS	Digital Imaging	Exhibits	Framing	Laminating	Litho Mounting	Painting	Air Brushing	POP Displays	Screen printing	Signs	Vinyl Lettering	Models
White Foam Board 1/2"	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲
Black on Black 1/2"	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲
White-Black-Black 1/2"	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲
Extreme White 1/2"	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲

FABRICATIONS	Hand cutting	Die cutting	Embossing	Scoring	Machine cutting
White Foam Board 1/2"	▲			▲	▲
Black on Black 1/2"	▲			▲	▲
White-Black-Black 1/2"	▲			▲	▲
Extreme White 1/2"	▲			▲	▲

Black on Black® Foam Board

Black Foam Cores give you the Cutting Edge

By sandwiching a deep black polystyrene core between smooth surface papers, EnCore® inspires a whole new category of foam board effects.

Go totally black for ultra dramatic effects

To create this solid black version EnCore layers rich black foam between smooth, black, acid-free paper, front and back. This process eliminates the need to retouch or disguise cut edges to achieve a totally black look.

Use White-Black-Black for dimensional impact

This unique foam board construction features smooth white surface paper to keep applied colors true. When cut, the edges of its deep black foam core are artfully revealed.

SPECIFICATIONS

Surface: White or Black facing paper

Core: Black foam

Thickness: 3/16", 1/2" and 3/8"

Varieties: Black on Black®, White-Black-Black, White-White-Black and White-Black-White

Standard sheet sizes range from 20" x 30" t: 48" x 96"

High volume cut-to-size sheets quickly available upon request

Call: 1-800-873-4868



APPLICATIONS	Digital Imaging	Exhibits	Framing	Laminating	Litho mounting	Painting	Air Brushing	POP Displays	Screen printing	Signs	Vinyl lettering	Models
Black on Black FB 3/16"	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲
Black on Black FB 1/2"	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲
White-Black-Black FB 1/2"	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲

FABRICATIONS	Hand cutting	Die cutting	Embossing	Scoring	Machine cutting
Black on Black FB 3/16"	▲	▲	▲	▲	▲
Black on Black FB 1/2"	▲		▲	▲	▲
White-Black-Black FB 1/2"	▲			▲	▲

White Foam Board



EnCore® Gives You Choices.
White Foam Board comes in 4 thicknesses and a wide range of standard sheet sizes.

EnCore's white clay-coated foam board is lightweight yet surprisingly strong and rigid to resist denting and crushing. Its resilient polystyrene "Memory" core is totally free of environmentally harmful toxins and it bounces back after cutting to keep the board uniform from edge to edge. White is the perfect base for projects requiring color clarity.



SPECIFICATIONS	
Surface:	White, clay-coated
Core:	White foam
Thickness:	1/8", 3/16", 3/8" and 1/2"
Standard sheet sizes	range from 20" x 30" to 60" x 120"
High volume cut-to-size sheets	quickly available upon request
Call: 1-800-873-4868	



APPLICATIONS	APPLICABLE												
	Digital Imaging	Exhibits	Framing	Laminating	Litho mounting	Painting	Air Brushing	POP Displays	Screen printing	Signs	Vinyl lettering & Models		
White Foam Board 1/8"	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲
White Foam Board 3/16"	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲
White Foam Board 1/2"	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲
White Foam Board 3/8"	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲


FABRICATIONS	APPLICABLE				
	Hand cutting	Die cutting	Embossing	Scoring	Machine cutting
White Foam Board 1/8"	▲	▲		▲	▲
White Foam Board 3/16"	▲	▲		▲	▲
White Foam Board 1/2"	▲			▲	▲
White Foam Board 3/8"	▲			▲	▲



Extreme White Foam Board™

Extreme White Foam Board™ combines a resilient polystyrene core with ultra-vibrant bright white paper facers to create a premium imaging surface for digital printing, exhibits, painting, screen printing, signage and more. The higher caliber paper enhances the maximum color gamut and black density of printed images.

SPECIFICATIONS
Surface: Bright White, clay-coated
Core: White foam
Thickness: 1/8", 3/16" and 1/2"
Standard sheet size: 48" x 96" to 60" x 120"
High volume cut-to-size sheets quickly available upon request
Call: 1-800-873-4868



APPLICATIONS	Digital Imaging	Exhibits	Framing	Laminating	Litho Mounting	Painting	Air Brushing	POP Displays	Screen Printing	Signs	Vinyl Lettering	Models
Extreme White 1/8"	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲
Extreme White 3/16"	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲
Extreme White 1/2"	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲

FABRICATIONS	Hand cutting	Die cutting	Embossing	Scoring	Machine cutting
Extreme White 1/8"	▲	▲		▲	▲
Extreme White 3/16"	▲	▲		▲	▲
Extreme White 1/2"	▲			▲	▲



SingleStep® Heat-Activated Foam Board

Adhesive-Enhanced Boards that increase efficiency

It's pre-coated on one side with a heat activated adhesive that is specially formulated to work with a dry mounting press or a roller laminator. Simply remove the interleaving sheet, position image, cover with release paper and place into press. Permanent bond is achieved at 180°F. Available in White and Black on Black. Not recommended for resin-coated (RC) photographs.



SPECIFICATIONS	
Surface:	White or Black facing paper
Core:	White or Black foam
Thickness:	1/8" and 3/16"
Standard sheet sizes	range from 24" x 36" to 48" x 96"
High volume cut-to-size sheets	quickly available upon request
Call: 1-800-873-4868	

APPLICATIONS	Digital Imaging	Exhibits	Framing	Laminating	Litho mounting	Painting	Air Brushing	POP Displays	Screen printing	Signs	Vinyl lettering	Models	FABRICATIONS				
													Hand cutting	Die cutting	Embossing	Scoring	Machine cutting
SingleStep 1/8"			▲	▲	▲								▲			▲	▲
SingleStep 3/16"			▲	▲	▲								▲			▲	▲



Pressure Sensitive Adhesive Foam Board

EnCore® Adhesive-Enhanced Foam Boards

Permanent Pressure Sensitive Board

This foam board features a pressure sensitive coating on one side that eliminates messy glues and sprays. Simply peel back the protective liner, roll down the image and smooth. It's specially formulated to handle hard-to-hold items such as heavy posters, large maps, architectural drawings, photos, and heavy-coated non-porous items. Solid White and Black on Black®.



Repositionable Pressure Sensitive Board

Here's the best choice for greater flexibility. This board has a pH neutral adhesive that allows the image to be adjusted, removed, and reapplied to assure accurate placement. Its liner is silicone treated and moisture resistant. Repositionable Board is ideal for mounting posters, inexpensive prints, photographs, prints on gloss paper, laminated materials and other art and craft projects. It is not recommended for valuable artwork or limited edition prints. Solid white only.



SPECIFICATIONS

Surface: White or Black facing paper

Core: White or Black foam

Thickness: 3/16"

Varieties: Permanent & Repositionable Adhesive

Standard sheet sizes range from 20" x 30" to 40" x 60"

High volume cut-to-size sheets quickly available upon request

Call: 1-800-873-4868

APPLICATIONS	Digital Imaging	Exhibits	Framing	Laminating	Litho mounting	Painting	Air Brushing	POP Displays	Screen printing	Signs	Vinyl lettering	Models
Permanent			▲	▲								
Repositionable			▲	▲								

FABRICATIONS	Hand cutting	Die cutting	Embossing	Scoring	Machine cutting
Permanent	▲		▲	▲	
Repositionable	▲		▲	▲	



Masterpiece Collection Foam Board

EnCore® Masterpiece Collection

EnCore's Acid-free foam boards meet all tests for archival usage and are ready to tackle your most important and valuable projects.



Antique White Acid-Free is highly protective

In accordance with Library of Congress standards this board's facing paper is buffered with calcium carbonate to a pH between 7.7 and 8.5. This process protects both the board and the image placed upon it from deterioration over the years due to humidity and atmospheric pollutants.

Bright White Acid-Free is a brilliant choice

It's whiter than the whites you've used before. As a result it dramatically enhances colors of any artwork. Its pH between 7.7 and 8.5 calcium carbonate buffer prevents acid migration from the foam board that would cause irreparable damage to the paper items being mounted.

Black on Black® Acid-Free

Featuring the deepest, richest, black acid-free facing paper and foam available, EnCore Black on Black delivers a striking performance with dramatic results.

100% Cotton Rag has conservation properties

Unlike ordinary foam boards, it is constructed with pure, natural cotton fibers that contain no lignin, alum or harsh chemicals. Each facing paper has a pH balance of 8.2 +/- 0.5, and a calcium carbonate buffer. Its polystyrene foam core is chemically inert rendering it totally acid-free.

SPECIFICATIONS

Surface: Antique White, Bright White and White Cotton Rag facing paper

Core: White foam

Thickness: 1/8" and 3/16"

Standard sheet sizes range from 32" x 40" to 48" x 96"

High volume cut-to-size sheets quickly available upon request

Call: 1-800-873-4868

APPLICATIONS	Digital Imaging	Exhibits	Framing	Laminating	Litho mounting	Painting	Air Brushing	POP Displays	Screen printing	Signs	Vinyl lettering	Models
Acid-Free 3/16"			▲	▲								
Acid-Free 1/8"			▲	▲								
Bright White 3/16"			▲	▲								
Bright White 1/8"			▲	▲								
100% Cotton Rag 3/16"			▲	▲								
Black on Black 3/16"	▲		▲	▲	▲	▲	▲	▲	▲	▲	▲	▲
Black on Black 1/2"	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲

FABRICATIONS	Hand cutting	Die cutting	Embossing	Scoring	Machine cutting
Acid-Free 3/16"	▲			▲	▲
Acid-Free 1/8"	▲			▲	▲
Bright White 3/16"	▲			▲	▲
Bright White 1/8"	▲			▲	▲
100% Cotton Rag 3/16"	▲			▲	▲
Black on Black 3/16"	▲	▲		▲	▲
Black on Black 1/2"	▲			▲	▲



Colored Foam Board

Set your imagination free!

From primary colors to patterns, these boards give you the creative edge on color for presentations that command attention and carry impact. Lighter than wood and more rigid than poster board, EnCore Colored Foam Boards feature a resilient polystyrene core that “bounces back” keeping the board uniform edge to edge. Accent and enhance EnCore Colored Foam Board with glitter, paint, markers, fabric or any other decorative medium to achieve professional results every time.

SPECIFICATIONS

Surface: Colored clay-coated on one side

Core: White foam

Thickness: 3/16"

Standard sheet sizes range from 20" x 30" to 48" x 96"

High volume cut-to-size sheets quickly available upon request

Call: 1-800-873-4868



APPLICATIONS	Digital Imaging	Exhibits	Framing	Laminating	Litho mounting	Painting	Air Brushing	POP Displays	Screen printing	Signs	Vinyl lettering	Models
Colored Foam Board 3/16	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲

FABRICATIONS	Hand cutting	Die cutting	Embossing	Scoring	Machine cutting
Colored Foam Board 3/16	▲	▲	▲	▲	▲

EnCore® Foam Board Sustainability Commitment

At EnCore® Products, a division of Elmer's Products, Inc., we believe that responsible actions lead to long-term success. We assure that our products, when used as intended, are safe through their entire life cycle. Our continued cultural dedication makes our communities safer and promotes a cleaner environment for future generations to enjoy. From the workplace to the classroom, we integrate sustainable initiatives into our daily routines.

Reduce

- Our foaming agent is 100% ozone-friendly and our process is formaldehyde-free.
- Our Statesville, NC, plant has been recognized for its commitment to reducing energy consumption through low-energy, programmable lighting efforts, installation of programmable thermostats and adoption of intermodal transportation.
- Additionally, our Statesville plant has reduced its number of annual non-recyclable solid waste loads by 10% or more on average.

Reuse

- Foam board by products are reused as a fuel source to recover heat value, reducing the amount of electricity used.
- Our Statesville facility reuses wooden and plastic pallets and recycles damaged ones that are no longer able to be used.
- We continue to donate damaged electronics to local community colleges for repair and reuse versus simple disposal.

Recycle


- Our Foam Board products contain recycled content, both internally and externally generated.
- The Statesville facility implemented a massive recycling program to recycle as many materials associated with the production process as possible including scrap foam, corrugate, paper, blister cards, scrap shrink and stretch wrap, batteries and PET bands.
- The recycling program kept over 700,000 lbs. of materials from landfills.



EnCore® has been a category leader for
MORE THAN 30 YEARS!

Guided by strong corporate values, we are dedicated to ensuring we meet our customers' needs and provide quality, environmentally conscious products. We believe our performance-driven products paired with sound environmental practices will yield long-term success and enjoyment by generations to come.





VARIETY VERSATILITY VALUE

EnCore® Black on Black®, SingleStep®, PilloCore®, MightyCore® and Extreme White Foam Board™ are registered brands of Elmer's Products, Inc.

ENCORE®
PRODUCTS

Distributed by:  Polymer**shapes**

Call: 1 (866) 437-7427

Email: info@polymershapes.com
www.polymershapes.com